

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	(marker adj pattern) and ((bit adj error adj rate) adj test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 10:38
L5	5	(counter with (bit adj error\$1)) and (counter with (byte adj error\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 10:43
L6	1	(counter with (bit adj error\$1)) and (counter with (byte adj error\$1)) and (counter with (packet adj error\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 10:40
L7	2	(counter with (bit adj error\$1)) and (counter with (byte adj error\$1)) and (counter same (packet with error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 10:43
L8	2	(counter with (bit adj error\$1)) and (counter with (byte adj error\$1)) and (counter same packet same error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:01
L9	26	packet adj error adj counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:01
L10	5	(packet adj error adj counter) and (byte with error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:07
L11	2	(packet adj error adj counter) same (byte with error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:01
L12	33	((packet adj error) with counter) and (byte with error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:36

EAST Search History

L13	1	((pre-programmed adj pattern) same test\$3) and (fixed adj pattern) and (programmable adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:38
L14	12	(fixed adj pattern) and (programmable adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 12:29
L15	1	(fixed adj pattern) and (programmable adj pattern) and (CRC adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:39
L16	1	(fixed adj pattern) and (programmable adj pattern) and (CRC with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:39
L17	2	(fixed adj pattern) and (programmable adj pattern) and CRC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 11:45
L18	3	10G with serdes with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:38
L19	1068	714/704.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:38
L20	164	714/716.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:39
L21	1998	714/712.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:39
L22	205	714/715.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:39

EAST Search History

L23	2754	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:40
L24	80	702/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:40
L25	3369	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:40
S2	10	(packet adj bit adj error adj rate adj tester)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 15:30
S3	10	(packet adj bit adj error adj rate adj tester) and transmi\$5 and receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 15:31
S4	3	(packet adj bit adj error adj rate adj tester) and (transmi\$5 with memory) and (receiv\$3 with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 15:34
S5	2	(packet adj bit adj error adj rate adj tester) and (transmi\$5 with memory) and (receiv\$3 with memory) and program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 15:32
S6	4	(packet adj bit adj error adj rate adj tester) and (transmi\$5 same memory) and (receiv\$3 same memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 15:35
S7	9	(packet same (bit adj error adj rate adj test\$3)) and (transmi\$5 same memory) and (receiv\$3 same memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 15:41
S8	15	(packet\$1 with (bit adj error adj rate adj test\$3)) and (transmi\$5 with packet\$1) and (receiv\$3 with packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 16:23

EAST Search History

S9	23	(packet\$1 same (bit adj error adj rate adj test\$3)) and (transmi\$5 with packet\$1) and (receiv\$3 with packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:16
S10	1	((pseudo-random adj number adj generator) with packet\$1 with pattern\$1) same transmi\$5) and (((pseudo-random adj number adj generator) with packet with pattern) same receiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:22
S12	1	((pseudo-random adj number adj generator) with packet\$1 with pattern\$1) same transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:23
S13	2	((pseudo-random adj number adj generator) with packet\$1 with pattern\$1) and transmi\$5 and receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:26
S17	1	((pseudo-random adj number adj generator) with packet\$1 with pattern\$1) with transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:28
S18	1	(pseudo-random adj number adj generator) with packet\$1 same pattern\$1 same transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:28
S19	2	(pseudo adj random adj number adj generator) with packet\$1 same pattern\$1 same transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:30
S20	2	((pseudo adj random adj number adj generator) with packet\$1) same pattern\$1 same transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:30
S21	6	(pseudo adj random adj number adj generator) same packet\$1 same pattern\$1 same transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 17:31

EAST Search History

S22	5	(pseudo-random adj number adj generator) same packet\$1 same pattern\$1 same transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 18:09
S23	1	(byte adj count\$3) and (packet adj count\$3) and (bit adj error adj count\$3) and ((byte adj error\$1) with count\$3) and ((packet adj error) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 18:14
S24	1	(byte with count\$3) and (packet\$1 with count\$3) and ((bit adj error\$1) with count\$3) and ((byte adj error\$1) with count\$3) and ((packet\$1 adj error\$1) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 18:14
S26	1	(byte adj counter) and (packet adj counter) and (bit adj error adj counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 18:15
S27	5	(byte with count\$3) and (packet\$1 with count\$3 with transmi\$5) and ((bit adj error\$1) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 18:18
S28	2	(byte with count\$3 with transmi\$5) and (packet\$1 with count\$3 with transmi\$5) and ((bit adj error\$1) with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 18:20
S30	4	((byte adj counter) with transmi\$5) and ((packet\$1 adj counter) with transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/01 18:21